



STEEL GARDEN BUILDINGS

Transform your garden with made-to-order maintenance free sheds, garden rooms and greenhouses



www.admansteelsheds.com

MINISTORE

GARDEN SHEDS



TIMBER FLOOR INCLUDED

Shed can be fitted on a level surface such as hardcore stone, paving slabs or tarmac. A concrete base is not essential.



MAINTENANCE FREE

Exterior PVC Coated in a choice of colours.



DOUBLE DOORS

Double doors are fitted with a heavy duty door lock.



This slimline garden storage unit is the ideal storage solution for small gardens or areas with limited space. Available in a range of sizes and colours the Mini Stores are the perfect size for storing bicycles, lawnmowers, barbeques and garden tools. As with all Adman Steel Sheds, these compact units are constructed from a galvanised steel framework.


BETTER BUILT BY ADMAN

- ROBUST CONSTRUCTION**
Heavy duty galvanised steel framework and door hinges.
- COLOUR MATCHING DOORS**
With a heavy duty door lock.
- SUPERIOR FINISHES**
Safe edge folds on all exterior flashings; external screws finished with protective colour caps and non-drip roof sheeting.
- MAINTENANCE FREE EXTERIOR**
PVC coated in a choice of colours.
- TIMBER FLOOR INCLUDED**
Shed can be fitted on a level surface such as hardcore stone, paving slabs or tarmac. A concrete base is not essential.
- SMART STORAGE OPTIONS**
Such as tool racks and shelving units.

POPULAR SIZES


1.83M x 1.1M (6' X 3'8")

£1,179




2.44M x 1.1M (8' X 3'8")

£1,275



3.05M x 1.1M (10' X 3'8")

£1,369



COLOUR OPTIONS

Walls & Door								
	Black	Brown	Olive	Merlin Grey	Anthracite Grey	Mushroom	Goosewing Grey	Woodgrain
Roof & Trims								
	Black	Brown	Olive	Merlin Grey	Anthracite Grey			





MINISTORE PRICES


Dimensions (width x length)	Shed Heights (Ridge down to wall height)	Shed Price Including Steel base & Timber Floor - no concreting required
6' Ministore - 1.83m x 1.1m	1.9m down to 1.5m	£1,179 Requires 4 no. '400mm x 400mm x 40mm' paving slabs
8' Ministore - 2.44m x 1.1m	2.01m down to 1.5m	£1,275 Requires 6 no. '400mm x 400mm x 40mm' paving slabs
10' Ministore - 3.05m x 1.1m	2.12m down to 1.5m	£1,369 Requires 6 no. '400mm x 400mm x 40mm' paving slabs

Prices above are for standard garden sheds which include keylock double doors, non-drip roof sheeting, a heavy duty steel base timber floor, delivery and installation. Deposit is required at time of order. This is non-refundable.

6' Ministore door opening size - 1.3m wide x 1.3m high.

8' & 10' Ministore door opening size - 1.8m wide x 1.3m high.

MINISTORE OPTIONAL EXTRAS



£27

Garden Tool Rack

Garden tool rack is fixed at a standard height of 1.3m high and is fitted in the centre of the back gable of the Ministore.



£84

3' Mini Shelving Unit

Free-standing 2 Shelf unit. Ideally positioned at either side of the double doors. Standard shelf measurements are 870mm L x 1000mm H x 305mm D.



£122

6' Mini Shelving Unit

Free-standing 2 Shelf unit. Ideally positioned along the back gable end. Standard shelf measurements are 1640mm L x 1000mm H x 305mm D

Garden Ramps

Sold as a Pair / 2 No. steel loading ramps 1100mm x 190mm/ Ideal for lawnmowers, quads, motor bikes etc. / Recommended max loading height 500mm / Max capacity 500kg (250kg per ramp)



£93



Upgrade to
Woodgrain
+ £170

CUSTOMER REQUIREMENTS

Prior to installation the customer must provide:

1. Level site with the specified number of paving slabs.
2. Access to site.

MULTISTORE

GARDEN SHEDS


MAINTENANCE FREE

Galvanised steel framework & door hinges. PVC Coated exterior.



CHOICE OF SINGLE OR DOUBLE DOORS

Doors feature a heavy duty door lock.



TIMBER FLOOR INCLUDED

Shed can be fitted on a level surface such as hardcore stone, paving slabs or tarmac. A concrete base is not essential.



The ideal maintenance free garden shed for storing your garden tools and equipment and general household items.

Available in a range of sizes, colours, doors with a host of unique storage options, which can all be specified to suit your garden and storage requirements. The supreme build quality and strength of these steel sheds are a necessity for Ireland's varied and harsh weather conditions.


BETTER BUILT BY ADMAN

- SINGLE OR DOUBLE DOORS**
 Colour matching single or double opening doors with a heavy duty door lock.
- TOP QUALITY MATERIALS**
 Galvanised steel framework and door hinges.
- SUPERIOR FINISHES**
 Safe edge folds on all exterior flashings; external screws finished with protective colour caps and non-drip roof sheeting.
- MAINTENANCE FREE EXTERIOR**
 PVC coated in a choice of colours
- TIMBER FLOOR INCLUDED**
 Eliminates the requirement for concreting. Shed can be fitted on a level surface such as hardcore stone, paving slabs, tarmac.
- SMART STORAGE OPTIONS**
 Such as bike and tool racks, workbenches and shelving units.

POPULAR SIZES


1.83M x 2.1M
(6' X 7')

£1,749




2.44M x 3.1M
(8' X 10')

£2,269




3.05M x 4.1M
(10' X 13'6")

£2,929



COLOUR OPTIONS

Walls & Door



Black




Brown



Olive




Merlin Grey



Anthracite Grey



Mushroom




Goosewing Grey



Woodgrain

Roof & Trims



Black




Brown



Olive



Merlin Grey



Anthracite Grey



MULTISTORE PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height)	Shed Price Including Steel base & Timber Floor - no concreting required
1.83m x 2.1m (6'x7')	2.3m down to 1.9m	£1,749 Requires 6 no. '400 x 400 x 40mm' paving slabs
1.83m x 3.1m (6'x10')	2.3m down to 1.9m	£1,989 Requires 6 no. '400 x 400 x 40mm' paving slabs
1.83m x 4.1m (6'x13'6")	2.3m down to 1.9m	£2,360 Requires 8 no. '400 x 400 x 40mm' paving slabs
2.44m x 2.1m (8'x7')	2.4m down to 1.9m	£1,989 Requires 6 no. '400 x 400 x 40mm' paving slabs
2.44m x 3.1m (8'x10')	2.4m down to 1.9m	£2,269 Requires 9 no. '400 x 400 x 40mm' paving slabs
2.44m x 4.1m (8'x13'6")	2.4m down to 1.9m	£2,549 Requires 12 no. '400 x 400 x 40mm' paving slabs
3.05m x 3.1m (10'x10')	2.5m down to 1.9m	£2,549 Requires 9 no. '400 x 400 x 40mm' paving slabs
3.05m x 4.1m (10'x13'6")	2.5m down to 1.9m	£2,929 Requires 12 no. '400 x 400 x 40mm' paving slabs
3.05m x 5.1m (10'x17')	2.5m down to 1.9m	£3,310 Requires 16 no. '400 x 400 x 40mm' paving slabs



Upgrade to Woodgrain
+ £280

Prices above are for standard garden sheds which include keylock pedestrian doors, non-drip roof sheeting, a heavy duty steel base timber floor, delivery and installation. Deposit is required at time of order. This is non-refundable

Door opening height - 170cm. Door opening width - 86cm or 114cm.

Dimensions (width x length)	Shed Heights (Ridge down to wall height)	Shed Price Timber Floor Not Included - Concrete Base is Required
3.05m x 6.1m (10' x 20')	2.5m down to 1.9m	£2,975 Concrete base required
3.05m x 7.1m (10' x 23')	2.5m down to 1.9m	£3,210 Concrete base required

Prices above are for standard garden sheds which include keylock pedestrian door, non-drip roof sheeting, delivery and installation. Deposit is required at time of order. This is non-refundable. Door opening height - 170cm. Door opening width - 86cm or 114cm.

MULTISTORE OPTIONAL EXTRAS



£27

Garden Tool Rack

Garden tool rack is fixed at a standard height of 1.6m high and can be fitted in various locations internally. Rack must be fitted to a vertical upright.



£46

Bicycle Rack


Bicycle rack is fixed at a standard height of 1.6m high and can be positioned in various locations internally. Rack must be fixed to a vertical upright.



£55

Adjustable Tool Rack


Fixed at a standard height of 1.6m high and can be fitted in various locations internally. Each rack is supplied with 10 hooks and is available in sizes up to 3m long.



£93

Garden Ramps


Sold as a Pair / 2 No. steel loading ramps 1100mm x 190mm / Ideal for lawnmowers, quads, motor bikes etc. / Recommended max loading height 500mm / Max capacity 500kg (250kg per ramp)



£169

Extra Pedestrian Door / 6' Double Door


Double door opening size - 170cm high x 180cm wide



£169

Multi-Purpose Ramps

Sold as a Pair / 2 No. steel loading ramps 1550mm x 220mm / Ideal for lawnmowers, quads, motor bikes etc. / Recommended max loading height 700mm / Max capacity 700kg (350kg per ramp)



£169

Heavy Duty Shelving unit

Free standing 3 Shelf unit. Perfect for keeping your Shed organised & tidy.
Size - 1640mm L x 1350mm H x 350mm D.



£216

PVC Window

Top Opening - Available in White, Black, Anthracite & Woodgrain.
Size - 930mm W x 820mm H



£245

8' Workbench & Vice

Free standing unit which can be positioned in various locations internally. Can be made shorter to fit inside smaller shed sizes.
Size - 2540mm L x 1000mm H x 620mm D.

CUSTOMER REQUIREMENTS

Prior to installation the customer must provide: 1. Level site with the specified number of paving slabs. 2. Access to site.

DURASTORE

GARDEN SHEDS AND GARAGES

MAXIMUM STRENGTH

Fabricated centre support beams combined with galvanised steel framework.



GUTTERS & DOWNPIPES

PVC gutters & downpipes are fitted to all buildings.



CHOICE OF DOORS

Roller garage doors, single and double steel pedestrian doors, steel security & PVC doors.



OPTIONAL WINDOWS

Choice of colour and sizes.



Our maintenance free DURASTORE sheds and garages are designed and constructed with the most extreme conditions in mind boasting a build quality and strength superior to any other building of this type so it can stand up to the harshest conditions. These are the perfect solution for storing all of your family's general, household and garden equipment. Available in a wide variety of sizes and colours with flexible build options for positioning doors and windows to suit your site and needs. A rebated concrete base is required for all of our DURASTORE garden sheds and garages.

BETTER BUILT BY ADMAN

• HEAVY DUTY MATERIALS

Heavy duty galvanised structural steel framework combined with fabricated centre support beams for maximum strength.

• SUPERIOR FINISHES

Safe edge folds on all exterior flashings; external screws finished with protective colour caps and non-drip roof sheeting.

• WINDOW & DOOR OPTIONS

Roller garage doors, steel pedestrian and double opening doors, steel security and double glazed PVC pedestrian doors and windows.

• PVC GUTTERS & DOWNPIPES

Fitted to all buildings.

• SMART STORAGE OPTIONS

Such as bike and tool racks, workbenches and shelving units.


• NATURAL LIGHT

Optional UV protected polycarbonate clear roof panels positioned on either side of the roof.

POPULAR SIZES


3M x 5.2M (10' X 17')

£3,590




4M x 6.2M (13'2" X 20')

£5,145



COLOUR OPTIONS

Walls & Door



Black




Brown



Olive




Merlin Grey



Anthracite Grey



Mushroom




Goosewing Grey



Woodgrain

Roof & Trims




Black




Brown



Olive



Merlin Grey



Anthracite Grey

DURASTORE GARDEN SHED PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height)	Shed Price (Standard colours)	Upgrade to Woodgrain
3m x 4.2m (10'x13'9")	2.7m down to 2.1m	£3,070	+ £425
3m x 5.2m (10'x17')	2.7m down to 2.1m	£3,590	+ £470
3m x 6.2m (10'x20')	2.7m down to 2.1m	£3,970	+ £515



Prices above are for standard garden sheds which include keylock pedestrian doors, clear roof sections, pvc guttering and non-drip roof sheeting. Pedestrian door size - 0.86m or 1.14m wide. Optional roller door size - 1.5m wide.

DURASTORE GARAGE PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height) 2.9m down to 2.1m		Shed Heights (Ridge down to wall height) 3.1m down to 2.44m		Shed Heights (Ridge down to wall height) 3.8m down to 3m	
	Std Colours	Woodgrain	Std Colours	Woodgrain	Std Colours	Woodgrain
4m x 5.2m (13'2"x17')	£4,720	+ £520	£5,000	+ £570	£5,665	+ £660
4m x 6.2m (13'2"x20')	£5,145	+ £565	£5,525	+ £620	£6,090	+ £725
4m x 9.2m (13'2"x30')	£6,700	+ £665	£7,225	+ £790	£7,930	+ £925



Prices above are for standard 4m Garages which include roller garage door, clear roof sections, pvc guttering and non-drip roof sheeting. Roller door size - 2.36m wide by 2m high / 2.2m high / 3m high.

Dimensions (width x length)	Shed Heights (Ridge down to wall height) 3.05m down to 2.1m		Shed Heights (Ridge down to wall height) 3.35m down to 2.44m		Shed Heights (Ridge down to wall height) 3.95m down to 3m	
	Std Colours	Woodgrain	Std Colours	Woodgrain	Std Colours	Woodgrain
5m x 6.2m (16'6"x20')	£6,470	+ £565	£7,130	+ £680	£7,790	+ £790
5m x 9.2m (16'6"x30')	£8,500	+ £705	£9,065	+ £850	£9,820	+ £990
5m x 12.2m (16'6"x40')	£10,525	+ £850	£11,285	+ £1,015	£12,085	+ £1190



Prices above are for standard 5m Garages which include roller garage door, clear roof sections, pvc guttering and non-drip roof sheeting. Roller door size - 2.86m wide by 2m high / 2.4m high / 3m high.

Dimensions (width x length)	Shed Heights (Ridge down to wall height) 3.1m down to 2.1m		Shed Heights (Ridge down to wall height) 3.5m down to 2.44m		Shed Heights (Ridge down to wall height) 4.1m down to 3m	
	Std Colours	Woodgrain	Std Colours	Woodgrain	Std Colours	Woodgrain
6m x 6.2m (20'x20')	£7,505	+ £615	£8,075	+ £735	£8,830	+ £855
6m x 9.2m (20'x30')	£9,205	+ £755	£9,915	+ £905	£10,765	+ £1,055
6m x 12.2m (20'x40')	£11,285	+ £895	£12,130	+ £1,075	£13,120	+ £1,260
6m x 15.2m (20'x50')	£13,310	+ £1,040	£14,400	+ £1,245	£15,390	+ £1,450



Prices above are for standard 6m Garages which include roller garage door, clear roof sections, pvc guttering and non-drip roof sheeting. Roller door size - 2.86m wide by 2.2m high / 2.6m high / 3m high.

DURASTORE OPTIONAL EXTRAS

Garden Tool Rack	£27
Bicycle Rack	£46
Adjustable Tool Rack	£55
Heavy Duty Shelving Unit	£169
8' Heavy Duty Workbench & Vice	£245
PVC Window (choice of 4 colours)	£216
Steel Pedestrian Door	£169

6' Double Doors	£340
PVC Pedestrian Door / Steel Security Door	£615
Extra Roller Door	£615
Automated Roller Door Unit	£330
Roller Door Chain Unit	£145
Double Steel Security Door	£1,415

Multi-Purpose Ramps

Sold as a Pair / 2 No. steel loading ramps 1550mm x 220mm / Ideal for lawnmowers, quads, motor bikes etc. / Recommended max loading height 700mm / Max capacity 700kg (350kg per ramp)



£169

Deposit is required at time of order. This is non-refundable. All prices include delivery, installation and VAT @ 20%

THERMASTORE

GARDEN SHEDS AND GARAGES

NATURAL LIGHT

UV protected polycarbonate roof lights. It is also double skin insulated.



WALL PANNELLING

Interior is finished in a white, smooth, easy to clean maintenance free metal surface. Exterior is PVC coated in a choice of colours.



INSULATED SURFACES

Walls and roof are insulated using 40mm insulated sandwich panel throughout.



EASILY HEATED

Suitable as a workshop or hobby space as heat is retained.



The **THERMASTORE** is a step up from the **DURASTORE** range, this selection is constructed with fully insulated walls and roof panels. While retaining the same robust construction as our **DURASTORE** models, these easily heated units have the added advantage of retaining heat. This insulation combined with heating, allows for a dryer and more comfortable environment for use as workshops and hobby spaces along with being an ideal storage area for your more valuable goods such as cars, vintage vehicles, electrical items and household furniture. **A rebated concrete base is required for our THERMASTORE ranges.**


BETTER BUILT BY ADMAN

- **INSULATED WALLS & ROOF**
Constructed using 40mm insulated sandwich panel throughout.
- **HEAVY DUTY MATERIALS**
Heavy duty galvanised steel framework combined with fabricated centre support beams for maximum strength.
- **MAINTENANCE FREE EXTERIOR**
PVC coated exterior in a choice of colours finished internally in a white, smooth, easy-clean metal surface.
- **SUPERIOR FINISHES**
Safe edge folds on all exterior flashings; external screws finished with protective colour caps.
- **PVC GUTTERS & DOWNPIPES**
Fitted to all buildings.
- **WINDOW & DOOR OPTIONS**
Roller Garage Door, single and double steel security doors and double glazed PVC pedestrian and French doors.

POPULAR SIZES


3.1M X 5.3M (10'2" x 17'5")

£5,145




4.1M X 6.3M (13'6" x 20'7")

£7,175




COLOUR OPTIONS

Walls & Door



Black




Brown



Olive




Merlin Grey



Anthracite Grey



Mushroom




Goosewing Grey



Woodgrain

Roof & Trims




Black




Brown



Olive



Merlin Grey



Anthracite Grey

Please note additional charges apply to woodgrain colour.

THERMASTORE GARDEN SHED PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height)	Shed Price (Standard colours)
3.1m x 3.3m (10'x10')	2.75m down to 2.1m	£4,015
3.1m x 4.3m (10'x14')	2.75m down to 2.1m	£4,485
3.1m x 5.3m (10'x17')	2.75m down to 2.1m	£5,145
3.1m x 6.3m (10'x20')	2.75m down to 2.1m	£5,715



Prices above are for standard 3.1m garden sheds which include insulated clear roof sections and pvc guttering. Included is a choice of a roller garage door, a steel security door or a double glazed pvc door.

Pedestrian door opening sizes - approximately 0.8m wide. Roller door opening size - 1.5m wide.

THERMASTORE GARAGE PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height) 2.9m down to 2.1m	Shed Heights (Ridge down to wall height) 3.2m down to 2.44m	Shed Heights (Ridge down to wall height) 3.8m down to 3m
4.1m x 5.3m (13'6"x17')	£6,470	£6,940	£7,550
4.1m x 6.3m (13'6"x20')	£7,175	£7,745	£8,400
4.1m x 9.3m (13'6"x30')	£9,160	£9,725	£10,575



Prices above are for standard 4.1m Garages which include roller garage door, insulated clear roof sections and pvc guttering.

Roller door size - 2.36m wide by 2m high / 2.2m high / 3m high.

Dimensions (width x length)	Shed Heights (Ridge down to wall height) 3.05m down to 2.1m	Shed Heights (Ridge down to wall height) 3.35m down to 2.44m	Shed Heights (Ridge down to wall height) 3.95m down to 3m
5.1m x 6.3m (17'x20')	£8,590	£9,110	£10,055
5.1m x 9.3m (17'x30')	£10,950	£11,615	£12,745
5.1m x 12.3m (17'x40')	£13,170	£13,970	£15,245



Prices above are for standard 5.1m Garages which include roller garage door, insulated clear roof sections and pvc guttering.

Roller door size - 2.86m wide by 2m high / 2.4m high / 3m high.

Dimensions (width x length)	Shed Heights (Ridge down to wall height) 3.1m down to 2.1m	Shed Heights (Ridge down to wall height) 3.3m down to 2.44m	Shed Heights (Ridge down to wall height) 4.1m down to 3m
6.1m x 6.3m (20'x20')	£9,915	£11,285	£11,895
6.1m x 9.3m (20'x30')	£12,370	£13,405	£14,825
6.1m x 12.3m (20'x40')	£15,060	£16,190	£17,700
6.1m x 15.3m (20'x50')	£17,750	£18,880	£20,630



Prices above are for standard 6.1m Garages which include roller garage door, insulated clear roof sections and pvc guttering.

Roller door size - 2.86m wide by 2m high / 2.4m high / 3m high.

THERMASTORE OPTIONAL EXTRAS

Garden Tool Rack	£27	Steel Security Door	£615
Bicycle Rack	£46	PVC Pedestrian Door	£615
Adjustable Tool Rack	£55	5' PVC French Door	£1,135
Heavy Duty Shelving Unit	£169	Extra Roller Door	£615
8' Heavy Duty Workbench & Vice	£245	Automated Roller Door Unit	£330
PVC Window (choice of 4 colours)	£216	Roller Door Chain Unit	£145

Multi-Purpose Ramps

Sold as a Pair / 2 No. steel loading ramps 1550mm x 220mm / Ideal for lawnmowers, quads, motor bikes etc. / Recommended max loading height 700mm / Max capacity 700kg (350kg per ramp)



£169

Deposit is required at time of order. This is non-refundable. All prices include delivery, installation and VAT @ 20%

MULTIROOM

HOME OFFICE AND GARDEN ROOMS

TILE ROOF EFFECT

To provide a softer finish.



MAXIMUM STRENGTH

Fabricated centre support beams combined with galvanised steel framework.



FULLY INSULATED

40mm insulation throughout walls and roof along with 25mm floor insulation as standard.



INTERNAL PANELLING

Finished with a heavy duty tongue and grooved timber panelling ensuring a warm and cosy building.



CERTIFIED ELECTRICAL WORK

Fully wired with sockets and lights ready to be connected to mains electricity.



Our MULTIROOM garden rooms are ideal for use as a home office, treatment room, hobby room, home gym, utility room or children's playroom. These are designed and built to a very high specification with fully insulated roof, walls and floor as standard. The convenient build options such as internal partitions and doors along with flexible positioning of external doors and windows make these buildings even more flexible.

BETTER BUILT BY ADMAN

• CERTIFIED ELECTRICAL WORK

Fully wired with sockets and lights ready to be connected to mains electricity. All electrical work is certified by a registered electrician.

• SUPERIOR FINISHES

Safe edge folds on all exterior flashings; external screws finished with protective colour caps along with beautifully finished internal timber mouldings and trims.

• MAINTENANCE FREE EXTERIOR

PVC coated in a wide range of colours and finishes.

• PVC GUTTERS & DOWNPIPES

Fitted to all buildings.

• FULLY INSULATED

40mm insulation throughout walls and roof. 25mm floor insulation with OSB timber - ready for finished flooring.

• WINDOW & DOOR OPTIONS

Double glazed pvc pedestrian and French doors along with large and small window options - choice of colours.

• INTERNAL PANELLING

Finished with a heavy duty tongue and grooved timber panelling ensuring a warm and cosy building.

POPULAR SIZES

3M X 5.2M (10' x 17')

£9,910




4M X 6.2M (13'2" x 20'4")

£13,215



COLOUR OPTIONS

Walls & Door



Black




Brown



Olive




Merlin Grey



Anthracite Grey



Mushroom




Goosewing Grey



Woodgrain

Roof & Trims



Black




Brown



Olive



Merlin Grey



Anthracite Grey




MULTIROOM PRICES

Dimensions (width x length)	Building Heights (Ridge down to wall height)	PVC Doors Included	PVC Windows Included	Std Price	Woodgrain Price
3m x 3.2m	2.7m down to 2.1m	1 no.	1 no.	£7,925	£8,400
3m x 4.2m	2.7m down to 2.1m	1 no.	2 no.	£8,965	£9,520
3m x 5.2m	2.7m down to 2.1m	1 no.	2 no.	£9,910	£10,520
3m x 6.2m	2.7m down to 2.1m	1 no.	2 no.	£11,135	£11,795
3m x 9.2m	2.7m down to 2.1m	1 no.	3 no.	£14,910	£15,760
4m x 4.2m	2.9m down to 2.1m	1 no.	2 no.	£10,000	£10,615
4m x 5.2m	2.9m down to 2.1m	1 no.	2 no.	£11,985	£12,645
4m x 6.2m	2.9m down to 2.1m	1 no.	2 no.	£13,215	£13,920
4m x 9.2m	2.9m down to 2.1m	1 no.	3 no.	£17,460	£18,355



MULTIROOM OPTIONAL EXTRAS



Radiators
From **£485**

990 Watt - 840mm W x 580mm H - £485
1210 Watt - 840mm W x 580mm H - £540
1430 Watt - 840mm W x 580mm H - £585



PVC Windows
From **£216**


Colours - Black, White, Anthracite & Woodgrain
Small Window £216. Large Window £285

Extra PVC Pedestrian Door

£615

½ Glazed French Door

£1,325



Flooring
From **£25**
Per square meter

Timber effect flooring available in two colours: Authentic Oak & Havana Oak



5ft French
Door
£1,135

Available in 4 colours - Black, White, Anthracite & Woodgrain



CE
EN 1090

IT'S TIME TO GROW

The Multigrow Greenhouse is the newest addition to the Adman range of products. Available in a choice of sizes and colours with a host of unique options, all of which can be specified to suit your garden and growing requirements. Produced from the highest quality materials the Multigrow Greenhouse displays superb strength and build quality and is ideally suited for Ireland's varied and harsh weather conditions.

Incorporating a unique heavy duty steel base frame, ready to accept paving slabs to act as an internal floor, each greenhouse can be fitted on almost any level surface, eliminating the requirement for major site preparations such as concreting. Equipped as standard with double sliding doors and a large sliding vent the Multigrow Greenhouse is the perfect partner for growing enthusiasts of all levels.

GOOD VENTILATION

Roof corrugations allow for consistent ventilation at all times helping to avoid excessive temperatures.



SLIDING VENT

Positioned in the back gable, a large sliding vent is included as standard to supply extra ventilation when required.



MAXIMUM STRENGTH

High impact resistant external polycarbonate sheeting.



DOUBLE SLIDING DOORS

Opening to the left and right, doors can be left partially or fully open depending on the users needs.



BASE FRAME INCLUDED

Supplied and fitted with a heavy duty steel base frame, ready to accept paving slabs.



Please note: slabs are not included and must be supplied by customer.

BETTER BUILT BY ADMAN

- **SUPERIOR FINISHES**
Safe edge folds on all exterior flashings: external screws finished with protective colour caps.
- **MAINTENANCE FREE EXTERIOR**
UV protected and high impact resistant, the external polycarbonate sheeting delivers strength and durability.
- **BASE FRAME**
All greenhouses include a heavy duty steel base frame. Can be installed on any level surface without the need for any major groundworks.
- **SMART GROWING OPTIONS**
Such as potting benches, shelving units and maintenance free composite planters.
- **TOP QUALITY MATERIALS**
Galvanised steel framework throughout.

AVAILABLE SIZES

Widths: 1.94m, 2.44m, 2.85m.

Lengths: 1.85m, 2.65m, 3.65m, 4.45m, 5.25m

BASE INCLUDED

All greenhouses as standard include a heavy duty steel base frame. Can be installed on any level surface without the need for any major groundworks.

ASSEMBLY INCLUDED

All prices include delivery and professional assembly.

CUSTOMER REQUIREMENTS

Prior to installation the customer must provide:

1. Level site with the specified number of paving slabs.
2. Access to site.

HOW IT WORKS

A level garden area is most suitable. For unlevel garden areas, please allow some extra paving slabs for leveling the base frame.



The Adman installation team will level the base frame and assemble the Multigrow Greenhouse.



The required number of paving slabs must be supplied by the customer.

Please ensure that the slabs supplied measure 400 x 400 x 40mm.



The Adman installation team will be happy to position the paving slabs inside your Multigrow Greenhouse.



MULTIGROW

GREENHOUSES

GOOD VENTILATION

Roof corrugations allow for consistent ventilation at all times helping to avoid excessive temperatures.



MAXIMUM STRENGTH

High impact resistant external polycarbonate sheeting.



DOUBLE SLIDING DOORS

Opening to the left and right, doors can be left partially or fully open depending on the users needs.



BASE FRAME INCLUDED

Supplied and fitted with a heavy duty steel base frame, ready to accept paving slabs.



Please note: slabs are not included and must be supplied by customer.

MULTIGROW PRICES

Dimensions (width x length)	Heights (Ridge down to wall height)	Price Including base frame	Paving Slabs Required for floor Required slab size 400 x 400 x 40mm Not included. Must be supplied by customer
1.94m x 1.85m (6'4" x 6'1")	2.3m down to 1.88m	£1,460	16 no
1.94m x 2.65m (6'4" x 8'8")	2.3m down to 1.88m	£1,650	24 no
1.94m x 3.65m (6'4" x 12')	2.3m down to 1.88m	£1,980	32 no
2.44m x 1.85m (8' x 6'1")	2.4m down to 1.88m	£1,560	20 no
2.44m x 2.65m (8' x 8'8")	2.4m down to 1.88m	£1,840	30 no
2.44m x 3.65m (8' x 12')	2.4m down to 1.88m	£2,170	40 no
2.44m x 4.45m (8' x 14'7")	2.4m down to 1.88m	£2,410	50 no
2.85m x 2.65m (9'4" x 8'8")	2.5m down to 1.88m	£1,980	36 no
2.85m x 3.65m (9'4" x 12')	2.5m down to 1.88m	£2,360	48 no
2.85m x 4.45m (9'4" x 14'7")	2.5m down to 1.88m	£2,550	60 no
2.85m x 5.25m (9'4" x 17'2")	2.5m down to 1.88m	£2,830	72 no

Prices above are for standard Multigrow Greenhouses which include double sliding doors, a large sliding vent positioned in the back gable wall and a heavy duty steel base frame. Door opening size – 72cm wide x 176cm high.

TRIM COLOUR OPTIONS



MULTIGROW OPTIONAL EXTRAS

Small Planter



Galvanized steel planter, measuring 390 x 390mm & supplied with a removable base (to replace 1no. floor paving slab).

Total measurements are 390mm L x 200mm H x 390mm D

£46

Medium Planter



Galvanized steel planter, measuring 390 x 790mm & supplied with a removable base (to replace 2no. floor paving slabs).

Total measurements are 790mm L x 200mm H x 390mm D

£65

Large Planter



Galvanized steel planter, measuring 390 x 1190mm & supplied with a removable base (to replace 3no. floor paving slabs).

Total measurements are 1190mm L x 200mm H x 390mm D

£84

Potting Bench



Free-standing 2 Shelf Unit which can be positioned in various locations internally.

Standard bench measurements are 1090mm L x 940mm H x 460mm D

£150

Medium Grow Shelving Unit



Free Standing 2 Shelf Medium Grow Shelving Unit. Can be positioned in various locations internally.

Standard Shelf Measurements are 1640mm L x 1000mm H x 305mm D

£122

Large Grow Shelving Unit



Free- standing 3 Shelf Large Grow Shelving Unit which can be positioned in various locations internally.

Standard shelf measurements are 1640mm L x 1350mm H x 350mm D

£169



Ballycanew Road,
Gorey,
Co Wexford

+353 53 9430001

Call our Sales representative directly on 07721 212 325

info@admansteelsheds.com
www.admansteelsheds.com



CE
EN 1090

Note: Terms and conditions apply. All specifications and prices are correct at time of going to print. Colours may vary to that shown in this brochure.

The Anti-Rust Guarantee shall cover all buildings in an inland location (more than 1 mile from sea) for a period of 15 years. All buildings in a coastal location (within 1 mile from the sea) are covered for a period of 10 years.