



STEEL GARDEN BUILDINGS

Transform your garden with made-to-order maintenance free sheds, garden rooms and greenhouses



www.admansteelsheds.com

MINISTORE

GARDEN SHEDS



TIMBER FLOOR INCLUDED

Shed can be fitted on a level surface such as hardcore stone, paving slabs or tarmac. A concrete base is not essential.



MAINTENANCE FREE

Exterior PVC Coated in a choice of colours.



DOUBLE DOORS

Double doors are fitted with a heavy duty door lock.



This slimline garden storage unit is the ideal storage solution for small gardens or areas with limited space. Available in a range of sizes and colours the Mini Stores are the perfect size for storing bicycles, lawnmowers, barbecues and garden tools. As with all Adman Steel Sheds, these compact units are constructed from a galvanised steel framework.


BETTER BUILT BY ADMAN

- ROBUST CONSTRUCTION**
Heavy duty galvanised steel framework and door hinges.
- COLOUR MATCHING DOORS**
With a heavy duty door lock.
- SUPERIOR FINISHES**
Safe edge folds on all exterior flashings; external screws finished with protective colour caps and non-drip roof sheeting.
- MAINTENANCE FREE EXTERIOR**
PVC coated in a choice of colours.
- TIMBER FLOOR INCLUDED**
Shed can be fitted on a level surface such as hardcore stone, paving slabs or tarmac. A concrete base is not essential.
- SMART STORAGE OPTIONS**
Such as tool racks and shelving units.

POPULAR SIZES


1.83M x 1.1M (6' X 3'8")

€1,249




2.44M x 1.1M (8' X 3'8")

€1,349




3.05M x 1.1M (10' X 3'8")

€1,449




COLOUR OPTIONS




Black



Merlin



Anthracite Grey



Goosewing Grey



MINISTORE PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height)	Shed Price Including Steel base & Timber Floor - no concreting required
6' Ministore - 1.83m x 1.1m	1.9m down to 1.5m	€1,249 Requires 4 - 400mm x 400mm x 40mm paving slabs
8' Ministore - 2.44m x 1.1m	2.01m down to 1.5m	€1,349 Requires 6 - 400mm x 400mm x 40mm paving slabs
10' Ministore - 3.05m x 1.1m	2.12m down to 1.5m	€1,449 Requires 6 - 400mm x 400mm x 40mm paving slabs

Prices above are for standard garden sheds which include keylock double doors, non-drip roof sheeting, a heavy duty steel base timber floor, delivery and installation. Deposit is required at time of order. This is non-refundable.

6' Ministore door opening size - 1.3m wide x 1.3m high.

8' & 10' Ministore door opening size - 1.8m wide x 1.3m high.



MINISTORE ACCESSORIES



€29

Garden Tool Rack

Garden tool rack is fixed at a standard height of 1.3m high and is fitted in the centre of the back gable of the Ministore.



€89

3' Mini Shelving Unit

Free -standing 2 Shelf unit. Ideally positioned at either side of the double doors. Standard shelf measurements are 870mm L x 1000mm H x 305mm D.



€129

6' Mini Shelving Unit

Free - standing 2 Shelf unit. Ideally positioned along the back gable end. Standard shelf measurements are 1640mm L x 1000mm H x 305mm D.

CUSTOMER REQUIREMENTS

Prior to installation the customer must provide:

1. Level site with the specified number of paving slabs.
2. Access to site.

MULTISTORE

GARDEN SHEDS

MAINTENANCE FREE

Galvanised steel framework & door hinges. PVC Coated exterior.



CHOICE OF SINGLE OR DOUBLE DOORS

Doors feature a heavy duty door lock.



TIMBER FLOOR INCLUDED

Shed can be fitted on a level surface such as hardcore stone, paving slabs or tarmac. A concrete base is not essential.



The ideal maintenance free garden shed for storing your garden tools and equipment and general household items.

Available in a range of sizes, colours and doors with a host of unique storage options, which can all be specified to suit your garden and storage requirements. The supreme build quality and strength of these steel sheds are a necessity for Ireland's varied and harsh weather conditions.


BETTER BUILT BY ADMAN

- **SINGLE OR DOUBLE DOORS**
Colour matching single or double opening doors with a heavy duty door lock.
- **TOP QUALITY MATERIALS**
Galvanised steel framework and door hinges.
- **SUPERIOR FINISHES**
Safe edge folds on all exterior flashings; external screws finished with protective colour caps and non-drip roof sheeting.
- **MAINTENANCE FREE EXTERIOR**
PVC coated in a choice of colours
- **TIMBER FLOOR INCLUDED**
Eliminates the requirement for concreting. Shed can be fitted on a level surface such as hardcore stone, paving slabs, tarmac.
- **SMART STORAGE OPTIONS**
Such as bike and tool racks, workbenches and shelving units.

POPULAR SIZES


1.83M x 2.1M
(6' X 7')

€1,849




2.44M x 3.1M
(8' X 10')

€2,399




3.05M x 4.1M
(10' X 13'6")

€3,099




COLOUR OPTIONS




Black



Merlin Grey



Anthracite Grey



Goosewing Grey



MULTISTORE PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height)	Shed Price Including Steel base & Timber Floor - no concreting required
1.83m x 2.1m (6'x7')	2.3m down to 1.9m	€1,849 Requires 6 - 400mm x 400mm x 40mm paving slabs
1.83m x 3.1m (6'x10')	2.3m down to 1.9m	€2,099 Requires 6 - 400mm x 400mm x 40mm paving slabs
1.83m x 4.1m (6'x13'6")	2.3m down to 1.9m	€2,499 Requires 8 - 400mm x 400mm x 40mm paving slabs
2.44m x 2.1m (8'x7')	2.4m down to 1.9m	€2,099 Requires 6 - 400mm x 400mm x 40mm paving slabs
2.44m x 3.1m (8'x10')	2.4m down to 1.9m	€2,399 Requires 9 - 400mm x 400mm x 40mm paving slabs
2.44m x 4.1m (8'x13'6")	2.4m down to 1.9m	€2,699 Requires 12 - 400mm x 400mm x 40mm paving slabs
3.05m x 3.1m (10'x10')	2.5m down to 1.9m	€2,699 Requires 9 - 400mm x 400mm x 40mm paving slabs
3.05m x 4.1m (10'x13'6")	2.5m down to 1.9m	€3,099 Requires 12 - 400mm x 400mm x 40mm paving slabs
3.05m x 5.1m (10'x17')	2.5m down to 1.9m	€3,499 Requires 16 - 400mm x 400mm x 40mm paving slabs

Prices above are for standard garden sheds which include keylock pedestrian doors, non-drip roof sheeting, a heavy duty steel base timber floor, delivery and installation. Deposit is required at time of order. This is non-refundable

Door opening height - 170cm. Door opening width - 86cm or 114cm.

Dimensions (width x length)	Shed Heights (Ridge down to wall height)	Shed Price Timber Floor Not Included - Concrete Base is Required
3.05m x 6.1m (10' x 20')	2.5m down to 1.9m	€3,150 Concrete base required
3.05m x 7.1m (10' x 23')	2.5m down to 1.9m	€3,400 Concrete base required

Prices above are for standard garden sheds which include keylock pedestrian door, non-drip roof sheeting, delivery and installation. Deposit is required at time of order. This is non-refundable. Door opening height - 170cm. Door opening width - 86cm or 114cm.


MULTISTORE ACCESSORIES



€29

Garden Tool Rack

Garden tool rack is fixed at a standard height of 1.6m high and can be fitted in various locations internally. Rack must be fitted to a vertical upright.



€49

Bicycle Rack


Bicycle rack is fixed at a standard height of 1.6m high and can be positioned in various locations internally. Rack must be fixed to a vertical upright.



€259

8' Workbench & Vice


Free standing unit which can be positioned in various locations internally. Can be made shorter to fit inside smaller shed sizes. Size - 2540mm L x 1000mm H x 620mm D.



€99

Garden Ramps


Sold as a Pair / 2 No. steel loading ramps 1100mm x 190mm / Ideal for lawnmowers, quads, motor bikes etc. / Recommended max loading height 500mm / Max capacity 500kg (250kg per ramp)



€179

Extra Pedestrian Door / 6' Double Door


Double door opening size - 170cm high x 180cm wide



€179

Multi-Purpose Ramps

Sold as a Pair / 2 No. steel loading ramps 1550mm x 220mm / Ideal for lawnmowers, quads, motor bikes etc. / Recommended max loading height 700mm / Max capacity 700kg (350kg per ramp)



€179

Heavy Duty Shelving unit

Free standing 3 Shelf unit. Perfect for keeping your Shed organised & tidy. Size - 1640mm L x 1350mm H x 350mm D.



€229

PVC Window

Top Opening - Available in Black, White & Anthracite
Size - 930mm W x 820mm H

CUSTOMER REQUIREMENTS

Prior to installation the customer must provide: 1. Level site with the specified number of paving slabs. 2. Access to site.

DURASTORE

GARDEN SHEDS AND GARAGES

MAXIMUM STRENGTH
Fabricated centre support beams combined with galvanised steel framework.



GUTTERS & DOWNPIPES
PVC gutters & downpipes are fitted to all buildings.



CHOICE OF DOORS
Roller garage doors, single and double steel pedestrian doors, steel security & PVC doors.



OPTIONAL WINDOWS
Choice of colour and sizes.



Our maintenance free DURASTORE sheds and garages are designed and constructed with the most extreme conditions in mind boasting a build quality and strength superior to any other building of this type so it can stand up to the harshest conditions. These are the perfect solution for storing all of your family's general, household and garden equipment. Available in a wide variety of sizes and colours with flexible build options for positioning doors and windows to suit your site and needs. A rebated concrete base is required for all of our DURASTORE garden sheds and garages.


BETTER BUILT BY ADMAN

- HEAVY DUTY MATERIALS**
Heavy duty galvanised structural steel framework combined with fabricated centre support beams for maximum strength.
- PVC GUTTERS & DOWNPIPES**
Fitted to all buildings.
- SUPERIOR FINISHES**
Safe edge folds on all exterior flashings; external screws finished with protective colour caps and non-drip roof sheeting.
- SMART STORAGE OPTIONS**
Such as bike and tool racks, workbenches and shelving units.
- WINDOW & DOOR OPTIONS**
Roller garage doors, and double glazed PVC pedestrian doors and windows.
- NATURAL LIGHT**
Optional UV protected polycarbonate clear roof panels positioned on either side of the roof.

POPULAR SIZES


3M x 5.2M (10' X 17')

€4,450




4M x 6.2M (13'2" X 20')

€5,750




COLOUR OPTIONS




Black



Merlin Grey



Anthracite Grey



Goosewing Grey



DURASTORE GARDEN SHED PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height)	Shed Price (Standard colours)
3m x 4.2m (10'x13'9")	2.7m down to 2.1m	€3,950
3m x 5.2m (10'x17')	2.7m down to 2.1m	€4,450
3m x 6.2m (10'x20')	2.7m down to 2.1m	€4,950

Prices above are for standard garden sheds which include keylock pedestrian doors, clear roof sections, pvc guttering and non-drip roof sheeting. Pedestrian door size - 0.86m or 1.14m wide. Optional roller door size - 1.5m wide.



DURASTORE GARAGE PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height) 2.9m down to 2.1m	Shed Heights (Ridge down to wall height) 3.1m down to 2.44m
4m x 5.2m (13'2"x17')	€5,350	€5,850
4m x 6.2m (13'2"x20')	€5,750	€6,350
4m x 9.2m (13'2"x30')	€7,950	€8,750

Prices above are for standard 4m Garages which include roller garage door, clear roof sections, pvc guttering and non-drip roof sheeting. Roller door size - 2.36m wide by 2m high / 2.2m high.



Dimensions (width x length)	Shed Heights (Ridge down to wall height) 3.05m down to 2.1m	Shed Heights (Ridge down to wall height) 3.35m down to 2.44m
5m x 6.2m (16'6"x20')	€7,450	€8,250
5m x 9.2m (16'6"x30')	€9,950	€10,950
5m x 12.2m (16'6"x40')	€12,450	€13,650

Prices above are for standard 5m Garages which include roller garage door, clear roof sections, pvc guttering and non-drip roof sheeting. Roller door size - 2.86m wide by 2m high / 2.4m high.



DURASTORE ACCESSORIES

Garden Tool Rack	€29
Bicycle Rack	€49
Heavy Duty Shelving Unit	€179
8' Heavy Duty Workbench & Vice	€259
PVC Window (choice of 3 colours)	€229

PVC Pedestrian Door	€650
6' Double Doors	€358
Extra Roller Door	€650
Automated Roller Door Unit	€350
Roller Door Chain Unit	€150

Multi-Purpose Ramps

Sold as a Pair / 2 No. steel loading ramps 1550mm x 220mm / Ideal for lawnmowers, quads, motor bikes etc. / Recommended max loading height 700mm / Max capacity 700kg (350kg per ramp)



€179

THERMASTORE

GARDEN SHEDS AND GARAGES

NATURAL LIGHT

UV protected polycarbonate roof lights. It is also double skin insulated.



EASILY HEATED

Suitable as a workshop or hobby space as heat is retained.



WALL PANNELLING

Interior is finished in a white, smooth, easy to clean maintenance free metal surface. Exterior is PVC coated in a choice of colours.



INSULATED SURFACES

Walls and roof are insulated using 40mm insulated sandwich panel throughout.



The **THERMASTORE** is a step up from the **DURASTORE** range, this selection is constructed with fully insulated walls and roof panels. While retaining the same robust construction as our **DURASTORE** models, these easily heated units have the added advantage of retaining heat. This insulation combined with heating, allows for a dryer and more comfortable environment for use as workshops and hobby spaces along with being an ideal storage area for your more valuable goods such as cars, vintage vehicles, electrical items and household furniture. **A rebated concrete base is required for our THERMASTORE ranges.**


BETTER BUILT BY ADMAN

- **INSULATED WALLS & ROOF**
Constructed using 40mm insulated sandwich panel throughout.
- **HEAVY DUTY MATERIALS**
Heavy duty galvanised steel framework combined with fabricated centre support beams for maximum strength.
- **MAINTENANCE FREE EXTERIOR**
PVC coated exterior in a choice of colours finished internally in a white, smooth, easy-clean metal surface.
- **SUPERIOR FINISHES**
Safe edge folds on all exterior flashings; external screws finished with protective colour caps.
- **PVC GUTTERS & DOWNPIPES**
Fitted to all buildings.
- **WINDOW & DOOR OPTIONS**
Roller garage door, double glazed PVC pedestrian and French doors.

POPULAR SIZES


3.1M X 5.3M (10'2" x 17'5")

€6,150




4.1M X 6.3M (13'6" x 20'7")

€8,450




COLOUR OPTIONS




Black



Merlin Grey



Anthracite Grey



Goosewing Grey



THERMASTORE GARDEN SHED PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height)	Shed Price (Standard colours)
3.1m x 3.3m (10'x10')	2.75m down to 2.1m	€4,950
3.1m x 4.3m (10'x14')	2.75m down to 2.1m	€5,550
3.1m x 5.3m (10'x17')	2.75m down to 2.1m	€6,150
3.1m x 6.3m (10'x20')	2.75m down to 2.1m	€6,950

Prices above are for standard 3.1m garden sheds which include insulated clear roof sections and pvc guttering. Included is a choice of a roller garage door or a double glazed pvc door.

Pedestrian door opening sizes - approximately 0.8m wide. Roller door opening size - 1.5m wide.



THERMASTORE GARAGE PRICES

Dimensions (width x length)	Shed Heights (Ridge down to wall height) 2.9m down to 2.1m	Shed Heights (Ridge down to wall height) 3.2m down to 2.44m
4.1m x 5.3m (13'6"x17')	€7,650	€8,450
4.1m x 6.3m (13'6"x20')	€8,450	€9,350
4.1m x 9.3m (13'6"x30')	€11,550	€12,550

Prices above are for standard 4.1m Garages which include roller garage door, insulated clear roof sections and pvc guttering. Roller door size - 2.36m wide by 2m high / 2.2m high.



Dimensions (width x length)	Shed Heights (Ridge down to wall height) 3.05m down to 2.1m	Shed Heights (Ridge down to wall height) 3.35m down to 2.44m
5.1m x 6.3m (17'x20')	€10,250	€10,950
5.1m x 9.3m (17'x30')	€12,650	€13,650
5.1m x 12.3m (17'x40')	€15,750	€16,950

Prices above are for standard 5.1m Garages which include roller garage door, insulated clear roof sections and pvc guttering. Roller door size - 2.86m wide by 2m high / 2.4m high.



Dimensions (width x length)	Shed Heights (Ridge down to wall height) 3.1m down to 2.1m	Shed Heights (Ridge down to wall height) 3.3m down to 2.44m
6.1m x 6.3m (20'x20')	€11,450	€13,450
6.1m x 9.3m (20'x30')	€14,550	€16,250
6.1m x 12.3m (20'x40')	€17,850	€19,450

Prices above are for standard 6.1m Garages which include roller garage door, insulated clear roof sections and pvc guttering. Roller door size - 2.86m wide by 2m high / 2.4m high.



THERMASTORE ACCESSORIES

Garden Tool Rack	€29
Bicycle Rack	€49
Heavy Duty Shelving Unit	€179
8' Heavy Duty Workbench & Vice	€259
PVC Window (choice of 3 colours)	€229
PVC Pedestrian Door	€650

5' PVC French Door	€1,200
Extra Roller Door	€650
Automated Roller Door Unit	€350
Roller Door Chain Unit	€150

Multi-Purpose Ramps

Sold as a Pair / 2 No. steel loading ramps 1550mm x 220mm / Ideal for lawnmowers, quads, motor bikes etc. / Recommended max loading height 700mm / Max capacity 700kg (350kg per ramp)



€179

MULTIROOM

HOME OFFICE AND GARDEN ROOMS

TILE ROOF EFFECT

To provide a softer finish.



MAXIMUM STRENGTH

Fabricated centre support beams combined with galvanised steel framework.



FULLY INSULATED

40mm insulation throughout walls and roof along with 25mm floor insulation as standard.



INTERNAL PANELLING

Finished with a heavy duty tongue and grooved timber panelling ensuring a warm and cosy building.



CERTIFIED ELECTRICAL WORK

Fully wired with sockets and lights ready to be connected to mains electricity.



Our **MULTIROOM** garden rooms are ideal for use as a **home office, treatment room, hobby room, home gym, utility room or children's playroom**. These are designed and built to a very high specification with fully insulated roof, walls and floor as standard. The convenient build options such as internal partitions and doors along with flexible positioning of external doors and windows make these buildings even more flexible.

BETTER BUILT BY ADMAN

- CERTIFIED ELECTRICAL WORK**
 Fully wired with sockets and lights ready to be connected to mains electricity. All electrical work is certified by a registered electrician.
- MAINTENANCE FREE EXTERIOR**
 PVC coated in a wide range of colours and finishes.
- WINDOW & DOOR OPTIONS**
 Double glazed pvc pedestrian and French doors along with large and small window options - choice of colours.
- SUPERIOR FINISHES**
 Safe edge folds on all exterior flashings; external screws finished with protective colour caps along with beautifully finished internal timber mouldings and trims.
- PVC GUTTERS & DOWNPIPES**
 Fitted to all buildings.
- INTERNAL PANELLING**
 Finished with a heavy duty tongue and grooved timber panelling ensuring a warm and cosy building.
- FULLY INSULATED**
 40mm insulation throughout walls and roof. 25mm floor insulation with OSB timber - ready for finished flooring.

POPULAR SIZES

3M X 5.2M (10' x 17')

€12,450




4M X 6.2M (13'2" x 20'4")

€15,995




COLOUR OPTIONS




Black



Merlin Grey



Anthracite Grey



Goosewing Grey






MULTIROOM PRICES

Dimensions (width x length)	Building Heights (Ridge down to wall height)	PVC Doors Included	PVC Windows Included	Standard Building Price
3m x 3.2m	2.7m down to 2.1m	1 no.	1 no.	€9,995
3m x 4.2m	2.7m down to 2.1m	1 no.	2 no.	€11,250
3m x 5.2m	2.7m down to 2.1m	1 no.	2 no.	€12,450
3m x 6.2m	2.7m down to 2.1m	1 no.	2 no.	€13,550
3m x 9.2m	2.7m down to 2.1m	1 no.	3 no.	€17,550
4m x 4.2m	2.9m down to 2.1m	1 no.	2 no.	€13,150
4m x 5.2m	2.9m down to 2.1m	1 no.	2 no.	€14,450
4m x 6.2m	2.9m down to 2.1m	1 no.	2 no.	€15,995
4m x 9.2m	2.9m down to 2.1m	1 no.	3 no.	€19,995




Please note additional charges apply to woodgrain colour.

MULTIROOM ACCESSORIES



Radiators
From **€600**

990 Watt - 840mm W x 580mm H - €600
1210 Watt - 840mm W x 580mm H - €650
1430 Watt - 840mm W x 580mm H - €700




PVC Windows
From **€229**

Colours - Black, White & Anthracite
Small Window €229. Large Window €299

Extra PVC Pedestrian Door

€650



Authentic
Oak



Havana
Oak

Flooring
From **€25**
Per square meter

Timber effect flooring available in two colours: Authentic Oak & Havana Oak



5ft French
Door
€1,200

Available in 3 colours - Black, White, Anthracite



CE
EN 1090

IT'S TIME TO GROW

The Multigrow Greenhouse is the newest addition to the Adman range of products. Available in a choice of sizes and colours with a host of unique options, all of which can be specified to suit your garden and growing requirements. Produced from the highest quality materials the Multigrow Greenhouse displays superb strength and build quality and is ideally suited for Ireland's varied and harsh weather conditions.

Incorporating a unique heavy duty steel base frame, ready to accept paving slabs to act as an internal floor, each greenhouse can be fitted on almost any level surface, eliminating the requirement for major site preparations such as concreting. Equipped as standard with double sliding doors and a large sliding vent the Multigrow Greenhouse is the perfect partner for growing enthusiasts of all levels.

GOOD VENTILATION

Roof corrugations allow for consistent ventilation at all times helping to avoid excessive temperatures.



SLIDING VENT

Positioned in the back gable, a large sliding vent is included as standard to supply extra ventilation when required.



MAXIMUM STRENGTH

High impact resistant external polycarbonate sheeting.



DOUBLE SLIDING DOORS

Opening to the left and right, doors can be left partially or fully open depending on the users needs.



BASE FRAME INCLUDED

Supplied and fitted with a heavy duty steel base frame, ready to accept paving slabs.



Please note: slabs are not included and must be supplied by customer.

BETTER BUILT BY ADMAN

- **SUPERIOR FINISHES**
Safe edge folds on all exterior flashings: external screws finished with protective colour caps.
- **MAINTENANCE FREE EXTERIOR**
UV protected and high impact resistant, the external polycarbonate sheeting delivers strength and durability.
- **BASE FRAME**
All greenhouses include a heavy duty steel base frame. Can be installed on any level surface without the need for any major groundworks.
- **SMART GROWING OPTIONS**
Such as potting benches, shelving units and maintenance free composite planters.
- **TOP QUALITY MATERIALS**
Galvanised steel framework throughout.

AVAILABLE SIZES

Widths: 1.94m, 2.44m, 2.85m.

Lengths: 1.85m, 2.65m, 3.65m, 4.45m, 5.25m

BASE INCLUDED

All greenhouses as standard include a heavy duty steel base frame. Can be installed on any level surface without the need for any major groundworks.

ASSEMBLY INCLUDED

All prices include delivery and professional assembly.

CUSTOMER REQUIREMENTS

Prior to installation the customer must provide:

1. Level site with the specified number of paving slabs.
2. Access to site.

HOW IT WORKS

A level garden area is most suitable. For unlevel garden areas, please allow some extra paving slabs for leveling the base frame.



The Adman installation team will level the base frame and assemble the Multigrow Greenhouse.



The required number of paving slabs must be supplied by the customer.

Please ensure that the slabs supplied measure 400 x 400 x 40mm.



The Adman installation team will be happy to position the paving slabs inside your Multigrow Greenhouse.



MULTIGROW

GREENHOUSES

MAXIMUM STRENGTH

High impact resistant external polycarbonate sheeting.



DOUBLE SLIDING DOORS

Opening to the left and right, doors can be left partially or fully open depending on the users needs.



GOOD VENTILATION

Roof corrugations allow for consistent ventilation at all times helping to avoid excessive temperatures.



BASE FRAME INCLUDED

Supplied and fitted with a heavy duty steel base frame, ready to accept paving slabs.




Please note: slabs are not included and must be supplied by customer.

MULTIGROW PRICES

Dimensions (width x length)	Heights (Ridge down to wall height)	Price Including base frame	Paving Slabs Required for floor Required slab size 400 x 400 x 40mm Not included. Must be supplied by customer
1.94m x 1.85m (6'4" x 6'1")	2.3m down to 1.88m	€1,549	16 no
1.94m x 2.65m (6'4" x 8'8")	2.3m down to 1.88m	€1,749	24 no
1.94m x 3.65m (6'4" x 12')	2.3m down to 1.88m	€2,099	32 no
2.44m x 1.85m (8' x 6'1")	2.4m down to 1.88m	€1,649	20 no
2.44m x 2.65m (8' x 8'8")	2.4m down to 1.88m	€1,949	30 no
2.44m x 3.65m (8' x 12')	2.4m down to 1.88m	€2,299	40 no
2.44m x 4.45m (8' x 14'7")	2.4m down to 1.88m	€2,549	50 no
2.85m x 2.65m (9'4" x 8'8")	2.5m down to 1.88m	€2,099	36 no
2.85m x 3.65m (9'4" x 12')	2.5m down to 1.88m	€2,499	48 no
2.85m x 4.45m (9'4" x 14'7")	2.5m down to 1.88m	€2,699	60 no
2.85m x 5.25m (9'4" x 17'2")	2.5m down to 1.88m	€2,999	72 no

Prices above are for standard Multigrow Greenhouses which include double sliding doors, a large sliding vent positioned in the back gable wall and a heavy duty steel base frame. Door opening size – 72cm wide x 176cm high.


TRIM COLOUR OPTIONS



Black



Merlin Grey



Anthracite Grey



MULTIGROW ACCESSORIES

Small Planter



Galvanized steel planter, measuring 390 x 390mm & supplied with a removable base (to replace 1no. floor paving slab).

Total measurements are 390mm L x 200mm H x 390mm D

€49

Medium Planter



Galvanized steel planter, measuring 390 x 790mm & supplied with a removable base (to replace 2no. floor paving slabs).

Total measurements are 790mm L x 200mm H x 390mm D

€69

Large Planter



Galvanized steel planter, measuring 390 x 1190mm & supplied with a removable base (to replace 3no. floor paving slabs).

Total measurements are 1190mm L x 200mm H x 390mm D

€89

Potting Bench



Free-standing 2 Shelf Unit which can be positioned in various locations internally.

Standard bench measurements are 1090mm L x 940mm H x 460mm D

€159

Medium Grow Shelving Unit



Free Standing 2 Shelf Medium Grow Shelving Unit. Can be positioned in various locations internally.

Standard Shelf Measurements are 1640mm L x 1000mm H x 305mm D

€129

Large Grow Shelving Unit



Free-standing 3 Shelf Large Grow Shelving Unit which can be positioned in various locations internally.

Standard shelf measurements are 1640mm L x 1350mm H x 350mm D

€179



Ballycanew Road,
Gorey,
Co Wexford

(053) 9430001

info@admansteelsheds.ie
www.admansteelsheds.com



CE
EN 1090

Note: Terms and conditions apply. All specifications and prices are correct at time of going to print. Colours may vary to that shown in this brochure.

The Anti-Rust Guarantee shall cover all buildings in an inland location (more than 1km from sea) for a period of 15 years. All buildings in a coastal location (within 1km from the sea) are covered for a period of 10 years.